PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: C07D 473/00, A61K 31/52

A1

(11) International Publication Number:

WO 97/29108

(43) International Publication Date:

14 August 1997 (14.08.97)

(21) International Application Number:

PCT/EP97/00523

(22) International Filing Date:

4 February 1997 (04.02.97)

(30) Priority Data:

9602403.9 9618494.0

7 February 1996 (07.02.96)

GB 5 September 1996 (05.09.96) GB

(71) Applicant (for all designated States except US): SMITHKLINE BEECHAM PLC [GB/GB]; New Horizons Court, Brentford, Middlesex TW8 9EP (GB).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): CAMPBELL, Kenneth, Churchill [US/GB]; SmithKline Beecham Pharmaceuticals, Clarendon Road, Worthing, West Sussex BN14 8QH (GB). GREENWAY, Michael, John [GB/GB]; SmithKline Beecham Pharmaceuticals, Clarendon Road, Worthing, West Sussex BN14 8QH (GB). HANCOCK, Stephen, Andrew [GB/GB]; SmithKline Beecham Pharmaceuticals, Clarendon Road, Worthing, West Sussex BN14 8QH (GB).
- (74) Agent: GIDDINGS, Peter, John; SmithKline Beecham, Corporate Intellectual Property, Two New Horizons Court, Brentford, Middlesex TW8 9EP (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD,

Published

With international search report.

- (54) Title: FAMCICLOVIR MONOHYDRATE
- (57) Abstract

Famciclovir monohydrate and its pharmaceutical use.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazi!	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
СН	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakis
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	ŤJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

10

15

20

25

30

FAMCICLOVIR MONOHYDRATE

This invention relates to a novel form of a pharmaceutical, and having pharmacological activity, to a process for its preparation and to its use as a pharmaceutical.

EP-A-182024 (Beecham Group p.l.c.), Example 2 describes a method of the preparation of famciclovir, a compound which is useful as the oral form of the compound, penciclovir which has antiviral activity against infections caused by herpesviruses, such as herpes simplex type 1, herpes simplex type 2 and varicella zoster virus, and also against Hepatitis B virus. Penciclovir and its antiviral activity is disclosed in Abstract P.V11-5 p.193 of 'Abstracts of 14th Int. Congress of Microbiology', Manchester, England 7-13 September 1986 (Boyd et. al.).

The form of famciclovir used for formulating into tablets or capsules is the anhydrous form as this form is stable and has good handling qualities for commercial production. In the case of a suspension formulation, however this form of famciclovir has potential disadvantages in terms of crystal growth in solution.

A pure, crystalline hydrate of famciclovir has been discovered, this hydrate having surprisingly improved properties, useful in a suspension formulation.

Accordingly, the present invention provides famciclovir monohydrate.

The hydrate is preferably in pharmaceutically acceptable form. By pharmaceutically acceptable form is meant, *inter alia*, of a pharmaceutically acceptable level of purity excluding normal pharmaceutical additives such as diluents and carriers, and including no material considered toxic at normal dosage levels. A pharmaceutically acceptable level of purity will generally be at least 50% excluding normal pharmaceutical additives, preferably 75%, more preferably 90% and still more preferably 95%. One preferred pharmaceutically acceptable form is the crystalline form, including such form in a pharmaceutical composition.

The invention also provides a process for the preparation of a famciclovir monohydrate which process comprises dissolving anhydrous

10

15

20

25

famciclovir in an aqueous medium and allowing the monohydrate to precipitate out from the solution.

The anhydrous famciclovir is preferably dissolved in hot water at a temperature greater than 25 degrees centigrade, usually 50 to 60 degrees centigrade, and the hot solution allowed to cool slowly to 5 degrees centigrade with continuous stirring. The monohydrate crystals are then filtered off and allowed to dry at ambient temperature.

The monohydrate may also be formed by exposing the anhydrous form of famciclovir to an atmosphere containing a high concentration of water vapour.

The invention also provides a pharmaceutical composition comprising famciclovir monohydrate, and a pharmaceutically acceptable carrier. In particular, the invention comprises a pharmaceutical composition in the form of an aqueous suspension for oral administration.

Suspension formulations may contain conventional additives such as suspending agents, for example sorbitol, syrup, methyl cellulose, gelatin, hydroxyethylcellulose, carboxymethylcellulose, aluminium stearate gel or hydrogenated edible fats, emulsifying agents, for example lecithin, sorbitan monooleate, or acacia; non-aqueous vehicles (which may include edible oils), for example, almond oil, fractionated coconut oil, oily esters such as esters of glycerine, propylene glycol, or ethyl alcohol; bulking agents such as microcystalline cellulose or silicon dioxide; flow agents such as colloidal silica; preservatives, for example methyl or propyl p-hydroxybenzoate or sorbic acid, and if desired conventional flavouring or colouring agents.

The oral compositions may be prepared by conventional methods.

The invention further provides a method of treatment or prophylaxis of viral infections in mammals, such as humans, which comprises the administration of famciclovir monohydrate.

The amount of famciclovir in the oral dosage form will depend on the viral infection being treated, the type of patient and the frequency of administration. Unit dosages are likely to be 125, 250, 500, 750 mg or 1g, 1 to 3 times a day.

10

15

20

The invention also provides famciclovir monohydrate for use as an active therapeutic substance, in particular for use in the treatment of viral infections.

The following example illustrates the preparation of famciclovir monohydrate and the following comparison test results illustrate the beneficial use of famciclovir monohydrate in a suspension formation. European Journal of Pharmaceutical Sciences, Vol 4 Suppl., September 1996, S170, abstract P3.029, describes the use of FT-Raman Spectroscopy to characterise the pseudopolymorphic transformation of the anhydrate to the monohydrate, and AAPS 11th Annual Meeting, Seattle, WA, October 27-31, 1996, Abstract /.PDD 7140, Pharm. Res., 13, S-267, 1996, describes the compaction induced solid state reactivity of the anhydrate.

Example

Famciclovir (150g) was dissolved in hot water (approximately 200ml at 50 to 60 degrees centigrade). The hot solution was allowed to cool slowly to 5 degrees centigrade with continuous stirring for 3 hours. The monohydrate crystals were filtered and then dried by allowing the excess water to evaporate under ambient conditions for approximately 2 days.

The monohydrate of famciclovir was characterised by infra-red spectroscopy, thermal analysis and X-ray diffraction methods. Identification was confirmed by proton nuclear magnetic resonance spectroscopy.

Water was determined at 5.3% (theoretical - 5.31%) by coulometric titration. This was confirmed by thermogravimetric analysis of the monohydrate which gave a 5.2% weight loss.

25

Comparison Test Results

An investigation was carried out on monohydrate crystal growth in famciclovir suspension. Two suspensions were prepared using the formulae below and were reconstituted with water.

Famciclovir Monohydrate Suspension		Famciclovir Anhydrate Suspension		
	% Composition		% Composition	
Famciclovir	35.20	Famciclovir	34.36	
Monohydrate		Anhydrate granules		
Hydroxy Propyl	3.33	Hydroxy Propyl	3.33	
Methyl Cellulose		Methyl Cellulose		
Xanthan Gum	3.33	Xanthan Gum	3.33	
Saccharin	1.78	Saccharin	1.78	
Aspartame	2.67	Aspartame	2.67	
Colloidal Silica	1.67	Colloidal Silica	1.67	
Flavours	6.93	Flavours	6.93	
Disodium hydrogen	19.56	Disodium hydrogen	15.6	
Phosphate dihydrate		Phosphate dihydrate	-5.2	
Citric acid	2.7	Citric acid	2.47	
monohydrate		monohydrate		
Silicon Dioxide	22.38	Silicon Dioxide	27.41	

The reconstituted suspension was stored at 25°C and the crystal growth monitored over a period of one week using microscopy.

The results from visual and photographic examination indicate little or no crystal growth in the monohydrate suspension whilst the crystals in the anhydrate suspension had grown to ten times their original size, making them less pharmaceutically acceptable.

20

25

Claims

- 1. Famciclovir monohydrate.
- 5 2. Famciclovir monohydrate in pharmaceutically acceptable form.
 - 3. A process for the preparation of a famciclovir monohydrate which process comprises dissolving anhydrous famciclovir in an aqueous medium and allowing the monohydrate to precipitate out from the solution.
- 4. A process for the preparation of a famciclovir monohydrate which process comprises exposing the anhydrous form of famciclovir to an atmosphere containing a high concentration of water vapour.
- 15 5. A pharmaceutical composition comprising famciclovir monohydrate, and a pharmaceutically acceptable carrier.
 - 6. A pharmaceutical composition according to claim 5, in the form of an aqueous suspension for oral administration.
 - 7. A method of treatment or prophylaxis of viral infections in mammals, such as humans, which comprises the administration of famciclovir monohydrate.
 - 8. Famciclovir monohydrate for use as an active therapeutic substance.
 - 9. Famciclovir monohydrate for use in the treatment of viral infections.
 - 10. The use of famciclovir monohydrate in the manufacture of a medicament for use in the treatment of viral infections.

INTA NATIONAL SEARCH REPORT

Int. Laonal Application No
PCT/EP 97/00523

			101/11 37	700323
IPC 6	SIFICATION OF SUBJECT MATTER C07D473/00 A61K31/52			
According	to International Patent Classification (IPC) or to both national cl	assification and IPC		
	S SEARCHED			
Minimum IPC 6	documentation searched (classification system followed by classif CO7D	ication symbols)		
	ation searched other than minimum documentation to the extent the			earched
	data base consulted during the international search (name of data	base and, where practical,	search terms used)	
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of th	e relevant passages		Relevant to claim No.
A	EP 0 182 024 A (BEECHAM GROUP P 1986 cited in the application	LC) 28 May		1
	see page 18; example 2			
·	·			
	her documents are listed in the continuation of box C.	X Patent family n	numbers are listed in	n annex.
'A' docum	tegories of cited documents : ent defining the general state of the art which is not ered to be of particular relevance	"I" later document public or priority date and cited to understand	lished after the inter d not in conflict with the principle or the	h the application but
E' earlier of filing of	document but published on or after the international	"X" document of particl cannot be consider	ular relevance; the c	daimed invention be considered to
citation 'O' docume	is died to establish the publication date of another n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	"Y" document of partice cannot be consider	ular relevance: the c	entive sten when the
'P' docume	means ent published prior to the international filing date but aan the priority date claimed	ments, such combine in the art. "&" document member	nation being obvious	s to a person skilled
	actual completion of the international search 1 April 1997	Date of mailing of t		rch report
	nailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer		
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Luyten,	н	

BNSDOCID: <WO___9729108A1_i_>

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

....mational application No.

PCT/EP 97/00523

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: Remark: Although claim(s) 7 is(are) directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searches without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

IN RNATIONAL SEARCH REPORT

information on patent family members

Inc. ational Application No PCT/EP 97/00523

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 182024 A	28-05-86	AT 389118 B	25-10-89
		AU 589371 B	12-10-89
		AU 4756085 A	27-03-86
		CA 1262899 A	14-11-89
		CY 1747 A	03-06-94
		DK 8504246 A	21-03-86
		WO 8705604 A	24-09-87
		HK 128693 A	26-11-93
		IE 58141 B	14-07-93
		JP 6025241 A	01-02-94
		JP 8026021 B	13-03-96
		JP 1881451 C	21-10-94
		JP 61085388 A	30-04-86
		SG 116193 A	21-01-94
		US 5250688 A	05-10-93
		ZA 8507149 A	19-06-86